

U.S. DEPARTMENT OF LABOR  
Occupational Safety and Health Administration  
**MATERIAL SAFETY DATA SHEET**

**SECTION I**

MANUFACTURER'S NAME: <b>Griswold Rubber Company, Inc.</b>	EMERGENCY TELEPHONE NO: <b>860-564-3321</b>
ADDRESS: <b>1 River Street, PO Box 638, Moosup, Connecticut 06354</b>	
CHEMICAL NAME AND SYNONYMS: <b>Rubber Sponge</b>	TRADE NAME AND SYNONYMS: <b>Kushon® Sponge - #3120</b>
CHEMICAL FAMILY: <b>Open Cell Sponge</b>	FORMULA: <b>Natural Rubber Base</b>

**SECTION II - HAZARDOUS INGREDIENTS**

PAINTS, PRESERVATIVES & SOLVENTS	%	TLV (Units)	ALLOYS AND METALLIC COATINGS	%	TLV (Units)
PIGMENTS	NA		BASE METAL	NA	
CATALYST	NA		ALLOYS	NA	
VEHICLE	NA		METALLIC COATINGS	NA	
SOLVENTS	NA		FILLER METAL PLUS COATING OR CORE FLUX	NA	
ADDITIVES	NA		OTHERS	NA	
OTHERS	NA				
<b>HAZARDOUS MIXTURES OF OTHER LIQUIDS, SOLIDS OR GASES</b>				%	TLV (Units)
NONE					
1. AS GRISWOLD INTERPRETS 29 CFR 1910.1200 THIS PRODUCT SHOULD NOT BE CONSIDERED A HAZARDOUS MATERIAL.					
2. THIS PRODUCT NOT SUBJECT TO SARA TITLE III SECTION 313.					

**SECTION III - PHYSICAL DATA**

BOILING POINT (°F)	NONE	SPECIFIC GRAVITY (H <sub>2</sub> O=1)	1.3-1.5
VAPOR PRESSURE (mm Hg)	NONE	PERCENT, VOLATILE BY VOLUME (%)	NIL
VAPOR DENSITY (AIR=1)	NONE	EVAPORATION RATE (_____ =1)	-----
SOLUBILITY IN WATER	NONE		
APPEARANCE AND ODOR	SOLID-NIL		

**SECTION IV - FIRE AND EXPLOSION HAZARD DATA**

FLASH POINT (Method Used) <b>IGNITION TEMP. 750°F</b>	FLAMMABLE LIMITS	Lel	Uel
EXTINGUISHING MEDIA <b>ANY</b>			
SPECIAL FIRE FIGHTING PROCEDURES <b>NORMAL SMOKE PROTECTION</b>			
UNUSUAL FIRE AND EXPLOSION HAZARDS <b>NONE</b>			

**SECTION V – HEALTH HAZARD DATA**

THRESHOLD LIMIT VALUE	NONE
EFFECTS OF OVEREXPOSURE	NONE *(Reference SECTION I)
FDA Docket No. 96N-0119	
“This product contains dry natural rubber.”	

**SECTION VI – REACTIVITY DATA**

STABILITY	UNSTABLE		CONDITIONS TO AVOID	NONE KNOWN
	STABLE	X		
INCOMPATIBILITY (Materials to Avoid)				
NONE KNOWN				
HAZARDOUS DECOMPOSITION PRODUCTS				
CO. CO <sub>2</sub> COMBUSTION PRODUCTS CONSIDER TOXIC				
HAZARDOUS POLYMERIZATION	MAY OCCUR		CONDITIONS TO AVOID	NONE KNOWN
	WILL NOT OCCUR	X		

**SECTION VII – SPILL OR LEAK PROCEDURES**

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED	
WASTE DISPOSAL METHOD	
PRODUCT AS DISCARDED IN UNALTERED FORM IS	
CLASSIFIED AS A NON-HAZARDOUS WASTE PER	
CFR VOL. 45/NO. 98 PART 261	

**SECTION VIII – SPECIAL PROTECTION INFORMATION**

NONE

RESPIRATORY PROTECTION (Specify type)		
VENTILATION	LOCAL EXHAUST	SPECIAL
	MECHANICAL (GENERAL)	OTHER
PROTECTIVE GLOVES	EYE PROTECTION	
OTHER PROTECTIVE EQUIPMENT		

**SECTION IX – SPECIAL PRECAUTIONS**

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING	NONE
OTHER PRECAUTIONS	

**SECTION X**

SIGNATURE	DATE
<i>Brian A. Reynolds</i>	12/02/2005
TITLE	
Research & Development Manager	

PAGE (2)

Form OSHA-20 Rev May 72

**NOTE:** Information of a technical nature is based on laboratory tests which either Griswold conducts or sends to an independent laboratory for testing for determination of uses as requested in writing by customer. Griswold believes these to be reliable. However, Griswold has no control over the application of the material to or part of the final PRODUCT and THEREFORE, Griswold makes NO EXPRESS OR IMPLIED WARRANTY OF RESULT, FITNESS OR MERCHANTABILITY. The customer should determine reliability for the end use or particular application.